ACCEPTANCE

Enhancing the security and performance of Business-to-Business E-Commerce using Hybrid Model By YISHAK SIME

Accepted by the Faculty of Informatics, St. Mary's University, in partial fulfillment of the requirements for the degree of Master of Science in Computer Science

Thesis Examination Committee:	
Internal Examiner	
External Examiner	
Dean, Faculty of Informatics	

February, 2022

DECLARATION

I, the undersigned, declare that this thesis work is my original work, has not been presented for a degree in this or any other universities, and all sources of materials used for the thesis work have been duly acknowledged.

	Full Name of Student	
_	Signature	
	Addis Ababa	
	Ethiopia	
This thesis has been su	bmitted for examination with	my approval as advisor.
	Full Name of Advisor	
		_
	Signature	
	Addis Ababa	
	Ethiopia	
	February2, 2022	

Acknowledgement

First and foremost, I thank **God** for endowing me with health, patience, and knowledge to complete this work and made me lucky to be supervised by such a **Doctor Tibebe Beshah**It gives me pleasure to thank my Advisor **Dr. Tibebe Beshah** for all he taught me, without his help, sage advice, insightful criticism, and continuous follow-up; this research would never have been.

I also want to extend my best regards to my family, my wife and to my two lovely kids for all their support and for the time they gave me on doing these thesis.

Table of Content

Acknowledgement	ii
Table of Contents	iii
List of Acronyms.	iv
List of Figures.	V
List of Tables.	vi
Abstract	vii
1. Introduction	1
a. Back ground	1
b. Statement of the problem	2
c. Objectives	3
d. Significance of the study	4
e. Scope/limitation	4
f. Organization of the study	5
2. Literature Review	6
2.1. Introduction	6
2.2. Ecommerce security	6
2.3. Cryptographic algorithm	10
2.4. DES, 3DES, Blowfish and AES encryption algorithms	12
2.5. Message Digest 5 Algorithm	17
2.6. Hybrid cryptographic algorithms	19
3. Methodology	23
3.1 General approach	23
3.2 Specific research design	23
3.3 Data Collection Methods and Approaches	24
3.4. Experimental Process and Tools	24
3.4.1 Python in cryptography	25

3.4.2 Java Crypto Package	26
3.4.3 Message Digest 5 (MD5)	26
3.5. System Architecture	27
3.6 AES Algorithm Description	28
3.6.1 Message Digest 5 (MD5) algorithm description	28
3.7. Validation and Evaluation Process	.29
4. Experiment and Results	.30
4.1. Model Description	.30
4.2 Modified AES Algorithm Flow chart	.32
4.3 The Four Steps in Each Round of Processing	33
4.4. Modified Reduced-Round AES Algorithm (MRRA)	35
4.5. Experimental analysis	.37
4.6. Password hashing using MD5 algorithm	.40
4.7. Result and analysis	41
4.7.1. MRRA AES encryption experiment	.43
4.7.2. MRRA AES decryption algorithm experiment	47
4.8. Discussion	.55
5. Conclusion and Future Works	57
5.1. Conclusion	.57
5.2 Recommendation	.59
5.3. Future Work	59
References	60
Appendix	62

vi

List of Figure

Figure 1. Dimensions of Ecommerce Security	7
Figure 2. Shows the different steps that are carried out in each round	25
Figure 3: Block diagram for Encryption and Decryption process	27
Figure 4. The overall structure of AES encryption/decryption	31
Figure 5. Modified AES Flow chart	32
Figure 6. MRRA Cipher Round Algorithm	36
Figure 7. AES encryption execution time of 100KB in millisecond	38
Figure 8. Standard AES execution time of size 1MB in millisecond	39
Figure 9. Hashing encryption key using SHA256	40
Figure 10. Encryption result of PDF file.	41
Figure 11. Encryption of sample Audio file	42
Figure 12. Encryption of sample Text file	42
Figure 13. MRRA encryption File size compared with execution time	45
Figure 14. MRRA encryption execution time in millisecond	46
Figure 15. MRRA and Standard algorithm of 100KB in millisecond	47
Figure 16. The standard AES execution time in millisecond	48
Figure 17. MRRA file decryption in millisecond	50
Figure 18. MRRA file decryption time in millisecond	51
Figure 19. MRRA Encryption\ Decryption time percentage distribution	52
Figure 20. MRRA and Standard AES algorithm comparison	54

List of Table

Table 1: Sample Test files	37
Table 2. Execution time for AES encryption in millisecond	37
Table 3: sample cipher	44
Table 4. MRRA encryption execution time	44
Table 5. Standard AES decryption algorithm execution time	47
Table 6. MRRA decryption execution time in millisecond	49
Table 7. MRRA Encryption and Decryption time in millisecond	52
Table 8. AES and MRRA comparison	53
Table 9. MRRA Encryption in different file size	55

Keywords: B2B, Cryptography, AES, Encryption Key, MD5

Abstract

Electronic commerce is a modern platform which allows buyer and seller to transact on line through an electronic wire without travelling long distance through crossing boundaries. It enable the sellers to penetrate the huge global market on providing goods and services to the potential buyers and initiate the buyer to purchase goods and services. Electronic commerce cannot be realized without strong security procedure which guarantee the buyer and seller that they are transacting in safe environment which unauthorized user do not interfere their communication.

The primary essence of this thesis is to create a more reliable and efficient security environment for the electronic market in general and specifically for the Business-to-Business kind of commerce.

Various researches are made e-commerce security using the Symmetric and Asymmetric cryptographic algorithm, but only a few papers were done on reducing the execution time of algorithm without compromising the strength of security.

This thesis were done to fill the gap on reducing the execution time of the AES algorithm from 10 iteration round to 8. There were no papers done this aspect and this thesis use the standard AES algorithm and reduced the number of iteration from 10 to 8 and to avoid the limitation of AES algorithm on key exchange between the sender and receiver by decrypting the encryption key using the MD5 hashing algorithm to ensure more security. This thesis were employed experimental research methods and measured the execution time of the standard AES algorithm and the MRRA algorithm on selected sample files of Text, PDF and Audio files of 100KB and 1MB using Java cryptoutil and the result indicates that the MRRA reduced the execution time of the standard AES algorithm by 4%.